

Index

- 1PI diagrams, *see* irreducible diagrams
1PR diagrams, *see* reducible diagrams
2-point function, 254, 259, 267–269, 271, 272, 274
- Abelian group, 291
accidental symmetries, *see* symmetries, accidental
action, 15–27, 72, 151, 152, 155, 167, 168, 285
adjoint representation, *see under* group representation
amplitude, *see* Feynman amplitude
anapole moment, 229, 230
angular momentum, 26
eigenstates, 65
of a spinor field, 49, 53, 54
orbital, 54
annihilation and creation operators, 3–5, 34–39, 44, 45, 65, 66, 72, 76, 82, 83, 86, 88, 94, 97, 102, 158, 160, 162, 167, 170, 194, 202, 297, 300, 302, 307, 309, 332
dimension of, 95
anomalous magnetic moment, *see* magnetic moment, anomalous
anticommutation relation, 5, 48, 86, 124, 220
of Dirac matrices, 48–50, 54, 59, 120, 209, 215, 239
of fermionic fields, 66–68, 84, 97, 102, 103, 212, 220, *see also* antisymmetry of fermions and exclusion principle, 68
- anticommutator, *see* anticommutation relation
antilinear operator, 212–214, 219
anti-neutrino, 2, 74
antiparticle, 39–41, 45, 67, 71, 108, 123, 182, 207, 327, 361
antisymmetric symbol, 291, 360
antisymmetric tensor, 49, 65, 354, 364–365
antisymmetry of fermions, 105, 110, 176
anti-unitary operator, 213, 215
approximate symmetries, *see* symmetries, approximate
asymptotic series, 80
axial gauge, 151
axial vector, 206, 207, 218
- Baker-Campbell-Hausdorff formula, 291
- bare
fields, 273, 274
Lagrangian, 273, 274, 277
parameters, 274, 277
- baryon number, 167, 289, 356–357
 β -decay, 2, 74, 326–328
constant, 74
bi-unitary transformation, 341
Bianchi identity, 318
bilinear covariants of fermion fields, 206, 211, 216, 217, 219, 220, 226, 354
Bremsstrahlung, 197–199, 279–282
broken symmetries, *see* spontaneous symmetry breaking
- Cabibbo-Kobayashi-Maskawa matrix, 342

- canonical
 - commutation relations, 30, 32, 33, 38
 - momentum, 19–21, 29, 30, 32, 38, 150, 153, 161, 295
 - quantization, 29, 80, 153
- center-of-mass frame, *see* frame, CM
- charge conjugation, 201, 207–212, 214, 217–219, 250, 283, 294
- charge quantization, 169
- chiral representation, *see*
 - representation of gamma matrices
- chirality, 335, 336, 338, 340, 341, 352, 357, 360
- projection operators, 61–62, 337, 353, 360
- color, *see* quark color
- Compton scattering, 173, 185–193
- Coulomb gauge, 151
- Coulomb interaction, 10, 163, 194, 200, 204
 - modification at higher order, 275–276
- counterterm, 252, 267–277, 280, 282
- CP symmetry, 217–218, 338
- CPT symmetry, 218–221
- CPT theorem, 220
- creation operators, *see* annihilation and creation operators
- cross section, 41, 115
 - for 2-to-2 scattering, 133–140
 - for individual processes, *see under the process name*
 - general formula, 130–133
 - Lorentz invariance of, 144
- crossing symmetry, 186, 190
- decay rate, 41
 - general formula, 115–117, 140
 - of a scalar, 87–94, 97–101, 106, 112, 117–122
 - of Higgs boson, 346
 - of muon, *see* muon decay
 - of pion, *see* pion decay
 - of W -boson, 345
 - of Z -boson, 342–345
- degenerate vacua, 297, 299
- derivative interactions, 88, 130, 246, 307
- differential
 - cross section, 137, 139, 142–144, 179, 182, 192, 193, 197–199, 243, 244, 348, 350
 - decay rate, 129, 130, 140
- dilatation, 27
- dipole moment, *see* electric dipole moment & magnetic moment
- Dirac equation, 1, 2, 49, 51–58, 361
 - covariance of, 52–54
 - plane wave solutions of, 54–58
- Dirac Hamiltonian, 48, 65
- Dirac matrices
 - contraction formulas, 54, 178
 - in N -dimensions, 265
 - general properties, 48–50, 359
 - hermiticity properties, 50
 - non-uniqueness of, 50–51, 359
 - representations, *see*
 - representation of gamma matrices
 - trace formulas, 49, 119–120, 361–364
- Dirac-Pauli representation, *see* representation of gamma matrices
- discrete symmetries, *see under* symmetries
- electric dipole moment, 228–230
- electron mass, 144, 339
- electron-electron scattering, 199
 - in QED, 173–179
 - with scalar exchange, 101–105
- electron-photon scattering, *see*
 - Compton scattering
- electron-positron annihilation
 - to muon pairs, 173, 182–184, 346–348
 - to W -pairs, 351–354
- electron-positron scattering, 173, 180–182
- electron-proton scattering, *see under* proton
- electroweak theory, 326–357

- energy-momentum tensor, *see* stress-energy tensor
- equivalence theorem, 353
- Euler-Lagrange equations, 12–14, 17–18, 27, 63, 64, 148
- Euler-Mascheroni constant, 264
- evolution operator, 75–80, 82, 268
- exclusion principle, *see* Pauli exclusion principle
- Faddeev-Popov ghosts, 322
- Fermi constant, 123, 350
- Feynman amplitude, 105–110, 113, 117, 120, 121, 123–125, 135–137, 141, 142, 144, 175, 176, 180, 183, 184, 186, 195, 198, 199, 241, 242, 244, 246, 247, 254, 280, 305, 308, 310, 343, 349
- Feynman diagram, 87–112, 155, 172, 175, 197, 230, 309
- Feynman parameters, 231–233, 235, 238, 241, 256, 261, 266, 367
- Feynman propagator
 - as Wick contraction, 85
 - for Dirac fields, 69–71
 - for ghost fields, 323
 - for massive vector bosons, 150, 309
 - for non-Abelian gauge bosons, 322, 334
 - for scalar fields, 41–46
 - for the photon field, 154
 - for unphysical scalars, 309, 334
 - for unstable particles, 355–356
- Feynman rule, 106–110, 114, 170, 254
 - for charged current interactions, 336, 342
 - for derivative coupling, 130
 - for effective vertex, 223
 - for electroweak theory, 339, 353
 - for external field, 195, 196
 - for external lines, 107, 164
 - for ghosts, 323
 - for Goldstone bosons, 307
 - for internal lines, 107, 164
 - for loop integration, 108
- for neutral current interactions, 337, 338, 347, 349
- for QED, 170, 173, 175, 180, 230, 254, 261
- for vertices, 110
- for YM theories, 318–320, 322, 352
- Feynman-’t Hooft gauge, 155, 161, 162, 164, 323, 349, 352, 356
- fine-structure constant, 10, 179, 233
- Fock space, 36, 37, 68, 77, 94
- form factor, 224–244, 246, 251, 259
 - Lorentz invariance of, 224
- 4-fermion interaction, 74–75
 - as low-energy electroweak limit, 350
 - inelastic scattering with, 140–144
 - muon decay with, 122–130
- frame
 - CM, 127, 134–137, 142–144, 178–179, 181, 183
 - Lab, 134, 137–140, 143, 188, 189, 195, 243
- full Lagrangian, 273–275
- functional, 17, 19, 20, 64
 - derivative, 19, 20
 - Poisson bracket of, *see* Poisson bracket
- fundamental representation, *see under* group representation
- γ -matrices, *see* Dirac matrices
- gauge boson, 168, 284, 308–311, 315, 318, 319, 322–324, 327–330, 332–334, 336, 337, 342, 344, 353
 - self-interactions, 319–320
- gauge covariant derivative, 169, 274, 308, 314–319, 330, 336, 338
- gauge fixing, 20, 151–154, 176, 267, 274, 275, 309, 310, 322, 334
- gauge principle, 167, 168, *see also* gauge bosons & gauge covariant derivative
- gauge theory
 - Abelian, *see* QED
 - non-Abelian, *see* non-Abelian gauge theory

- Gauss theorem, 17, 18, 22
 generation, 335, 340
 generators, 289–293, 302, 304, 305,
 313, 315, 317–319, 327–331,
 336
 ghost fields, *see* Fadeev-Popov ghosts
 global transformations, *see under*
 symmetries
 gluons, 325
 Goldstone bosons, *see*
 Nambu-Goldstone bosons
 Goldstone theorem, 300–304
 Gordon identity, 56, 223, 225, 234
 gravity, 324, 326
 Green's function, 41, 43, 44, 149, 151,
 154, 163, *see also* Feynman
 propagator
 group
 algebra, 291, *see also* structure
 constants
 general properties, 284
 representation, 292–293
 adjoint, 293, 315, 322
 fundamental, 292, 313, 314,
 316, 317
 singlet, 292, 319
 Gupta-Bleuler formalism, 160–162
 hadron, 326, 327
 Heaviside-Lorentz units, 10, 146
 helicity
 eigenstates, 61, 62, 351
 of neutrinos, *see* neutrino helicity
 projection operators, 60–62
 Higgs boson, 75, 335, 339, 340, 346
 field, 339
 interactions, 338
 multiplet, 330, 338
 neutral, 349
 Higgs mechanism, 308–311
 hypercharge, 329, 330, 336, 357
 ‘in’ and ‘out’ states, 82
 inelastic processes, 115, 140–144, 173,
 184, 243
 infra-red divergence, 198–199, 245,
 271, 279–282
 interaction picture, 78
 internal symmetries, *see* symmetries,
 internal
 intrinsic
 charge conjugation, 207, 208
 CP, 217
 CPT, 220
 parity, 202, 203, 205, 206
 time reversal, 214
 irreducible diagrams, 112
 isospin, 289, 293, 294, 327
 Jacobi identity, 293
 Klein-Gordon equation, 28, 29, 41, 42,
 47, 54
 with a source, 41
 Klein-Nishina formula, 192
 Kronecker delta, 6
 Lab frame, *see* frame, Lab
 Lamb shift, 276
 Landau gauge, 155
 Landé g -factor, 227, 228
 for the electron, 238
 for the proton, 242
 lepton number, 167, 356–357
 leptons, 130, 324, 335, 336, 340, 341,
 346, 356
 Levi-Civita tensor, *see* antisymmetric
 tensor
 Lie groups, 290
 lifetime, 10, 11, 117, 122, 130, 355
 loop diagrams, 93, 94, 100, 108, 230,
 245, 249, 250, 252, 254, 257,
 259, 260, 267, 274, 280, 323
 evaluation of, 231–241
 Feynman rule, 109, 110
 loop expansion, 268
 Lorentz force formula, 8
 Lorentz invariance, 126, 144, 149, 160,
 172, 208, 220, 224, 253, 257,
 259, 277, 317, 326
 and VEV, 300
 of action, 24, 73
 of cross section, *see under* cross
 section
 of Feynman amplitude, 144, 244

- Lorentz transformation, 7, 16, 25–26, 28, 30, 47, 52, 53, 156, 201–203, 283, 285
- indices, 54, 123, 125, 220, 343, 344
- of co-ordinates, 7
- of fermion bilinears, 54
- of spinors, 52–54, 73, 208, 209, 211, 257, 287
- of vector fields, 156
- Lorenz gauge, 151, 185
- magnetic moment
 - anomalous, 228–238, 242, 259, 272, 294
 - Dirac, 227
- Majorana representation, *see* representation of gamma matrices
- Mandelstam variables, 144–145, 179, 183, 346
- mass matrix, 341
- Maxwell equations, 8, 18, 40, 146, 147, 150, 152, 153, 155, 160, 165, 318
 - discrete symmetries, 204, 208
- minimal substitution, 169, 253
- momentum
 - conjugate, 14, 150
- muon, 279, 324, 340
 - coupling with the Z -boson, 346
 - decay, 10, 122–130, 141, 350, 354
 - magnetic moment, 238
 - mass, 10, 144
 - pair production, *see* e^-e^+ annihilation
- Nambu-Goldstone boson, 303–305
 - interactions, 305–308
- natural units, 9–11, 28, 29, 117
- neutrino, 123, 126, 127, 129, 130, 324, 327, 335–337, 340, 351, 356, 357
 - coupling with the Higgs boson, 340
 - helicity, 141, 335
 - mass, 124, 336
 - masslessness of, 335, 336, 339
- neutral current interactions, 337
- scattering off electron
 - elastic, 349–350
 - inelastic, 140–144
- neutron, 2, 74, 75, 288, 289, 293, 294, 324, 326–328, *see also* β -decay
 - mass, 289, 293
- Noether
 - charge, 24, 67
 - current, 24, 39, 64, 321
 - theorem, 21–27, 40, 167, 200, 223, 283, 301
- non-Abelian
 - gauge theory, 312–326, 329
 - group, 291
 - symmetry, 300–301
- non-perturbative effects, 357
- normal ordered
 - charge, 67
 - Hamiltonian, 36, 41, 67, 161, 170
 - momentum, 36
 - product, 89, 91, 92, 102, 174
 - and time ordered product, *see* Wick theorem
 - of bosonic fields, 35
 - of fermionic fields, 66, 67
- normalization
 - of fields, 30, 288
 - of flux, 132
 - of hypercharge, 330
 - of polarization vectors, 185, 344
 - of spinors, 56, 58, 66, 67, 225, 226
 - of states, 5, 35, 37, 44, 76, 94–97, 159, 222
- nucleons, 75, 288
- number operator, 5, 37, 39, 40
- off-shell particle, 111, *see also* virtual particles
- on-shell
 - condition, 111, 188, 235, 280
 - particle, 111, 112, 172, 222, 230, 255, 271, 276, 344, 356
 - renormalization, 269, 271, 276
- pair annihilation, 173

- pair creation, 173
- parity, 201–208, 214, 217–219, 231, 242, 244, 257, 283, 294
 - intrinsic, *see* intrinsic parity
 - violation, 230, 231, 338, 354
- Pauli exclusion principle, 68
- Pauli matrices, 57, 288, 289, 328, 359
- Pauli-Lubansky vector, 65
- perturbation theory, 76, 80, 82, 106, 130, 250, 253, 268, 282, 357
- phase space, 116
 - for 2-body decay, 120–122
 - for identical particles, 117, 179
- photon
 - charge conjugation, 208
 - in electroweak theory, 328, 332, 333
 - masslessness of, 150, 333
 - parity transformation, 204, 206
 - polarization, *see under* polarization
 - propagator, 149–150, 153–155, 162–164
 - scattering off electrons, *see* Compton scattering
 - under time reversal, 214–217
- pion, 75, 288, 289
 - decay, 130
 - decay constant, 130
 - masses, 289
 - scattering off electrons, 244
- Poincaré invariance, 16, 72, 285, 301
- Poisson bracket, 15, 20, 29
- polarization states
 - circular, 158
 - elliptical, 158
 - number of, 159, 161, 162
 - physical, 192, 193
 - transverse, 162
- polarization sum
 - for massive vector bosons, 344
 - for photons, 164–165, 192, 193, 199
- polarization vectors, *see also* polarization states
 - for massive vector bosons, 344
 - longitudinal, 344, 352, *see also*
- equivalence theorem
- transverse, 344
- for photons, 156–159, 161, 184–189, 192, 193
 - and gauge invariance, 184–185, 187
 - longitudinal, 157
 - scalar, 156, 157, 161
 - transverse, 157
- pole of a propagator, 309, 310, 333
- principle of least action, 12, 13, 17
- Proca Lagrangian, 150, 308
- projection operators, 59–62
 - for chirality, *see under* chirality
 - for energy, 59–60
 - for helicity, *see under* helicity
 - for spin, 62–63, 354
- propagator, *see* Feynman propagator
- proton, 2, 74, 75, 167, 288, 293, 294, 324, 326–328
 - electric charge as unit, 10, 166, 288
 - magnetic moment, 242
 - mass, 289, 293
 - scattering with electrons, 241–244
- pseudoscalars, 205, 206, 212
- QCD, 323–325
- QED, 166–199, 245, 248, 283, 284, 286, 312, 313, 315, 318, 323, 326, 329, 333, 338, 346, 348
 - divergent amplitudes, 250–252
 - invariance under discrete symmetries, 206, 212, 216, 218, 294
 - renormalization, 253–282
 - vertex function, 230–241
- quantization
 - canonical, *see* canonical quantization
 - first, 37
 - second, 37
- Quantum chromodynamics, *see* QCD
- Quantum electrodynamics, *see* QED
- quark
 - color, 324
 - masses, 279

- mixing matrix, 342
- quarks, 241, 324, 335, 340–342, 356, 357
- reducible diagrams, 112, 271
- regularization, 252, 260–267
 - and gauge invariance, 263
 - cut-off, 252, 253
 - dimensional, 252, 260–265, 267, 272, 323
 - Pauli-Villars, 252, 265–267, 272
- relativity
 - general theory, 326
 - special theory, 5–8, 301
- renormalizability
 - non-renormalizable theories, 248, 275, 326
 - of electroweak theory, 334
 - renormalizable theories, 248, 253
- representation of gamma matrices
 - chiral, 360
 - Dirac-Pauli, 60, 203, 210, 226, 228, 229, 359–360
 - spinor solutions in, 56–58, 226
 - Majorana, 210, 361
- running coupling constant, 276–279
- Rutherford scattering formula, 197, 275
- R_ξ gauge, 334
- S -matrix, 80–86, 115, 116, 130, 131, 155, 172, 174, 175, 180, 184, 185, 194, 230, 275
- scalar electrodynamics, 169
- scattering angle, 135, 142, 143, 181, 354
- self-energy
 - for fermions, 174, 251, 254–257, 265–267, 270–272
 - for non-Abelian gauge fields, 323, 324
 - for photon, *see* vacuum polarization
- simple harmonic oscillator, 3–5, 32–36
- singlet representation, *see under* group representation
- spin of a Dirac particle, 65
- spin sum, 56, 118–120, 176, 177, 181, 343, 353, 354
- spontaneous symmetry breaking, 294–311, 330, 331, 333, 338, 339
- standard electroweak theory, *see* electroweak theory
- step function, 31
- stress-energy tensor, 23, 25, 27
- structure constants, 291, 292, 314, 317, 320, 323, 329
- SU(2)
 - definition, 287
 - doublet, 327, 328
 - generators, 290–292
 - isospin, 289
 - n -plet, 330
 - transformation, 289, 290
- SU(3), 324–325
- superficial degree of divergence, 245–251
- symmetries
 - accidental, 357
 - and conservation laws, *see* Noether theorem
 - approximate, 289, 293–294
 - continuous, 200, 283, 284, 286–291
 - breaking of, 299–301, *see also* Goldstone theorem, Nambu-Goldstone bosons
 - discrete, 200–221, 283, 294, 295, 298, 304
 - global, 148, 166–169, 284, 286–289, 299, 308, 310, 312–315, 324, 331, 356–357, *see also* Noether theorem
 - internal, 16, 26–27, 283, 285–287, 301
 - space-time, 24–26, 283
- tau, 279, 340
- temporal gauge, 151
- Thomson cross-section, 193
- threshold energy, 144
- time dilation, 122, 355
- time reversal, 201, 212–217, 219, 283, 294

- time-ordered product, 79, 80, 174
 and normal-ordered product, *see*
 Wick theorem
 for fermion fields, 71
 for scalar fields, 45
 total divergence, 18, 23, 24, 64, 73,
 148, 151, 309, 334
 tree level, 100, 253–255, 267, 269, 271,
 274, 277, 305, 306, 323, 327,
 337, 351
 interaction, 225, 241
 ultra-violet divergences, 241, 245–282
 uncertainty relations, 9, 111, 355
 unitary gauge, 310, 311, 333, 334
 unitary groups, 327
 unitary matrices, 50, 51, 210, 215,
 286–288, 290, 313, 341, 359
 as a group, 285, 290
 unitary operator, 76, 81, 213, 215
 units, *see* natural units,
 Heaviside-Lorentz units
 unphysical mode, 303, 310, 322, 333,
 334, 339
 vacuum expectation value, 35, 84, 85,
 98, 297, 299, 301, 304, 332,
 339
 of normal ordered products, 82
 of time-ordered product, 84
 vacuum polarization, 174, 251,
 257–265, 267, 270
 vacuum state, 34, 36, 37, 40, 41, 45,
 68, 82, 83, 89, 94, 95, 97,
 102, 103, 107, 159, 297, 299,
 301, 302, 331, 332
 vacuum to vacuum transition, 94, 174
 vertex function, 223–224, 230, 242,
 244, 253, 255, 258, 259, 272,
 280
 virtual particles, 110–113, 172, 282,
 322, 323
W-boson, 279, 327–354
 decay of, *see* decay of *W*-boson
 mass, 332, 345
 Ward-Takahashi identity, 253–256,
 258, 272, 274, 276
 Weinberg angle, 333, 337, 345
 Wick
 contractions, 84
 expansion, 86, 87, 90, 91, 94, 98,
 104, 174
 theorem, 82–86, 88, 101, 106, 174
 Wick rotation, 235–237, 367
 Yang-Mills theories, *see* non-Abelian
 gauge theory
 Yukawa
 coupling, 339–341
 interaction, 75, 87, 101, 117, 256,
 338
 theory, 75, 104, 288
Z-boson, 207, 217, 332–353, 355
 decay of, *see* decay of *Z*-boson
 decay width, 356
 mass, 345