

**STRUCTURE AND CONFORMATION OF A CHYMOTRYPSIN
INHIBITOR PROTEIN AT 90 K USING X-RAY
CRYSTALLOGRAPHIC METHODS**

**THESIS SUBMITTED FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY (SCIENCE)
OF
JADAVPUR UNIVERSITY**

BY

RAVICHANDRAN S

CRYSTALLOGRAPHY AND MOLECULAR BIOLOGY DIVISION

SAHA INSTITUTE OF NUCLEAR PHYSICS

1/AF, BIDHAN NAGAR

CALCUTTA-700 064

2000

CONTENTS

LIST OF ABBREVIATIONS	viii
PREFACE	ix

PART I

Chapter 1: Cryocrystallography of biological macromolecules - a review

1.0 Introduction	1
1.1 Radiation damage - the basic problem.	2
1.1.1 Radiation damage at cryogenic temperatures.	4
1.2 Why cryocrystallography?	5
1.3 Development of cryogenic techniques	7
1.4 General principles.	12
1.4.1 Principle of flash cooling.	12
1.4.2 Cryoprotectants.	13
1.5 Methodology.	14
1.5.1 Choice of a cryoprotectant.	16
1.5.2 Crystal selection	19
1.5.3 Solvent exchange or crystal transfer.	20
1.5.4 Crystal mounting.	23
1.5.5 Flash cooling and data collection	26
1.5.6 Crystal storage and transport	30
1.6 Concluding remarks	31

Chapter 2: An introduction to serine protease inhibitors

2.0 Introduction to Proteases	32
2.1 Serine proteases: mechanism of action	35
2.1.1 Substrate specificity	38
2.2 Protease inhibitors	39
2.2.1 Small inhibitors of proteases	40
2.2.2 Protein inhibitors of proteases	40
2.3 The serine protease inhibitor families.	40
2.4 Plant serine protease inhibitors.	46
2.4.1 The Kunitz (STI) family.	47

2.4.2	Physiological importance of plant inhibitors	48
2.4.3	Primary sequences of some Kunitz (STI) family inhibitors	48
2.5	Crystal structures of the Kunitz (STI) family of inhibitors	50

Chapter 3: Cryocrystallographic studies of a Kunitz-type winged bean chymotrypsin inhibitor (WCI) protein at 2.13 Å resolution

3.1	Introduction	55
3.1.1	The winged bean	55
3.1.2	The Winged bean Chymotrypsin Inhibitor (WCI)	58
3.1.3	Three dimensional structure of WCI	60
3.1.3.1	The first X-ray structure at 2.95 Å resolution	60
3.1.3.2	Refined structure at 2.3 Å	60
3.1.4	Why high(er) resolution structure of WCI?	61
3.2	Materials and methods.	62
3.2.1	Isolation, purification and crystallization of WCI	62
3.2.2	Data collection at 90K	63
3.2.2.1	Crystal soaking for cryocrystallography	63
3.2.2.2	Construction of loops	65
3.2.2.3	Crystal mounting	66
3.2.2.4	Data collection	66
3.2.2.5	Quality of the data	70
3.2.3	Model building and refinement	73
3.2.4	An outline of the refinement programs used	76
3.2.5	Details of the refinement	79
3.2.5.1	Starting model	79
3.2.5.2	Software details.	80
3.2.5.3	Stage I: Refinement using <i>X-PLOR</i>	80
3.2.5.4	Stage II: Refinement using <i>REFMAC</i>	83
3.3	Results and Discussions	89
3.3.1	Quality of the refined model	89
3.3.2	Disordered residues	90
3.3.3	Atomic temperature factors	90
3.3.4	Overall structure and comparison with similar structures	94
3.3.5	Comparison with WCI model at 293K	98

3.3.5.1	Crystal packing	99
3.3.6	Secondary structural elements	101
3.3.6.1	β - sheets	102
3.3.6.2	β - turns.	104
3.3.6.3	Peptide flip at Ser84-Cys85	106
3.3.6.4	β - bulges, γ -turns and 3 ₁₀ -helices	108
3.3.7	Conformation of the two reactive site loops	109
3.3.7.1	The first reactive site loop	110
3.3.7.2	The second reactive site loop	113
3.3.8	Side-chains	115
3.3.9	Salt bridges	118
3.3.10	Solvent structure	119
3.3.10.1	Water molecules	119
3.3.10.2	Sulfate ions	123
3.4	Conclusion	128

Chapter 4: High resolution (1.9 Å) structure of a recombinant winged bean chymotrypsin inhibitor (rWCI)

4.0	Introduction	130
4.1	Materials and methods	132
4.1.1	Crystallization of recombinant WCI.	132
4.1.2	Data collection at 293 K.	133
4.1.3	Synchrotron radiation - an overview	134
4.1.4	Data collection at the ESRF	138
4.1.5	Quality of the data.	140
4.1.6	Structure refinement.	142
4.1.6.1	Initial refinement using <i>CNS</i>	142
4.1.6.2	Bulk solvent correction procedure in <i>CNS</i> and <i>REFMAC</i>	144
4.1.6.3	Refinement using <i>REFMAC</i>	145
4.2	Results and Discussions.	149
4.2.1	Quality of the structure	149
4.2.2	A comparison with native WCI structure	150
4.2.2.1	The two reactive site loops	153

4.2.2.2	Solvent structure	155
4.2.3	Structural damage to rWCI produced by synchrotron radiation	158
4.3	rWCI:enzyme complex - a modeling study	160
4.3.1	Mechanism of serine protease inhibition	160
4.3.2	Possible interactions of rWCI with chymotrypsin	164

PART II

Chapter 5: Crystal structure of amino acid derivatives

5.0	Background	168
5.1	Crystal structure of D-Phenylglycine hydrochloride.	168
5.1.1	Introduction.	168
5.1.2	Experimental.	170
5.1.3	Results and Discussions	174
5.2	Crystal structure of (S)-2-aminoethyl-L-Cysteine hydrochloride . .	179
5.2.1	Introduction.	179
5.2.2	Experimental.	179
5.2.3	Results and Discussions.	185
REFERENCES		189
APPENDICES		210
A1	PDB depositions	210
A2	List of Publications.	211
A3	Vitae	212