

Beyond The Standard Model: Some Aspects of Supersymmetry and Extra Dimension

**Thesis Submitted to
The University of Calcutta
for The Degree of
Doctor of Philosophy (Science)**

By
Tirtha Sankar Ray
Theory Division,
Saha Institute of Nuclear Physics,

2010

Contents

List of Figures	xii
List of Tables	xiii
1 Introduction	1
1.1 The Standard Model	1
1.1.1 Experimental status of the Standard Model	8
1.1.2 Problems with the Standard Model	13
1.2 Beyond the Standard Model	18
1.3 Supersymmetry	19
1.3.1 SUSY algebra	20
1.3.2 The generic SUSY Lagrangian	22
1.3.3 The Minimal Supersymmetric Standard Model	25
1.3.4 The experimental status of the MSSM	30
1.4 Conclusion and Outlook	32
2 Probing Warped Extra dimension at the LHC	34
2.1 Extra dimensions	34
2.2 Warped Extra Dimension	36
2.2.1 The Randall-Sundrum background	36
2.2.2 Compactification and KK Decomposition of Bulk Fields	38
2.2.3 The zero mode profile	42

2.2.4	Gauge Couplings	42
2.2.5	Yukawa Structure	44
2.2.6	Radius stabilization	46
2.3	Probing warped extra dimension via $gg \rightarrow h$ and $h \rightarrow \gamma\gamma$ at LHC	50
2.3.1	Contribution of KK states to $\sigma(gg \rightarrow h)$	51
2.3.2	Contribution of KK states to $\Gamma(h \rightarrow \gamma\gamma)$	52
2.4	Conclusions	53
3	Extra-dimensional relaxation of the upper limit of the lightest supersymmetric neutral Higgs mass	55
3.1	Introduction	55
3.2	Supersymmetric warped extradimension	56
3.2.1	Supergravity multiplet	56
3.2.2	Vector supermultiplet	57
3.2.3	Hypermultiplets	57
3.2.4	Yukawa Couplings	58
3.3	Radiative Correction to the Higgs mass	59
3.3.1	Tree level relations in 4d MSSM	59
3.3.2	Radiative corrections from the zero mode	60
3.3.3	Radiative corrections due to extra dimensions	62
3.3.4	Numerical Results	64
3.4	Conclusions	64
4	A phenomenological study of 5d supersymmetry	66
4.1	Introduction	66
4.2	5d supersymmetry	68
4.2.1	A brief summary of our model	68
4.2.2	Multiplet Structures	70
4.2.3	KK decomposition of fields	72

4.3	RG evolution and derivation of the beta functions	72
4.3.1	Gauge couplings and gaugino masses	73
4.3.2	Yukawa and scalar trilinear couplings	73
4.3.3	Scalar masses	75
4.4	Special numerical features of RG running in 5d scenario	76
4.4.1	The Gauge and Yukawa couplings	76
4.4.2	The gaugino and scalar masses	78
4.5	The $m_0 - M_{1/2}$ parameter space	79
4.5.1	Numerical procedure	79
4.5.2	Comparison between 4d and 5d models	79
4.6	Conclusions and Outlook	80
5	Summary and Conclusions	85