

**CRYSTAL STRUCTURE ANALYSIS OF A
TRYPSIN/CHYMOTRYPSIN INHIBITOR PROTEIN
FROM *Psophocarpus tetragonolobus***

**THESIS SUBMITTED FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY (SCIENCE)
OF
JADAVPUR UNIVERSITY**



BY

SATYABRATA DAS

**CRYSTALLOGRAPHY AND MOLECULAR BIOLOGY DIVISION
SAHA INSTITUTE OF NUCLEAR PHYSICS
1/AF, BIDHANNAGAR, KOLKATA-700 064
INDIA**

JUNE 2002

CONTENTS

Preface	i
Abbreviations	iii
Part I	
1 Introduction	1
1.1 Proteolytic enzymes and their inhibitors	1
1.2 Serine proteinases and their mechanism of catalysis	3
1.3 Protein inhibitors of serine proteinases and their classification	7
1.4 Functions and uses of plant proteinase inhibitors	9
1.5 Recognition of serine proteinases of chymotrypsin like family and their canonical protein inhibitors	11
1.5.1 Structural features of proteinase-inhibitor recognition sites	11
1.5.2 Kinetic and thermodynamic aspects	13
1.6 STI-Kunitz: A family of plant proteinase inhibitors	18
1.6.1 β -trefoil fold: A general structural feature of STI-Kunitz family	19
1.6.2 Crystal structures of inhibitors belonging to STI-Kunitz family	21
1.6.2.1 <i>Erythrina caffra</i> trypsin inhibitor (ETI)	22
1.6.2.2 Soybean trypsin inhibitor (STI)	23
1.6.2.3 Complex of soybean trypsin inhibitor and porcine pancreatic trypsin (STI:PPT)	24
1.6.2.4 Winged bean chymotrypsin inhibitor (WCI)	27
1.6.2.5 Amylase/subtilisin inhibitor from barley (BASI) and wheat (WASI or PKI ₃)	28
1.6.3 Crystal structure of WBA: A non-inhibitor member of STI-Kunitz family	29
1.6.4 Reactive site loop: A primary recognition site	30
1.7 The Winged bean (<i>Psophocarpus tetragonolobus</i>)	31
1.7.1 Proteinase inhibitors isolated from the seeds of winged bean	34
1.8 Objective and scope of the present work	35

2 Crystallization, data collection and preliminary characterization of WCTI

2.1 Purification and characterization of a β -trypsin and α -chymotrypsin inhibitor protein (WCTI) from winged bean seeds	37
2.2 Crystallization of WCTI	38
2.2.1 Methods	38
2.2.2 Results	39
2.3 X-ray diffraction analysis	40
2.3.1 Preliminary characterization of WCTI crystals by precession method	40
2.3.2 Data collection	40
2.3.2.1 Theory	40
2.3.2.2 Methods	43
2.3.2.3 Results	44
2.4 Measurement of crystal density by Ficoll density gradient method and calculation of Matthew's coefficient (V_M)	45
2.5 Space group determination	46
2.6 Discussion	46

3 Solution of WCTI structure by the molecular replacement method

3.1 Introduction	47
3.1.1 An overview	47
3.1.2 AMoRe	51
3.2 Structure solution	55
3.2.1 Self-rotation map	55
3.2.2 MR calculations by AMoRe	55
3.2.2.1 Selection of search model	55
3.2.2.2 Details of the calculation steps	56
3.2.2.3 Results of MR calculations	56
3.3 Confirmation of MR results	57

3.3.1	Molecular packing	57
3.3.2	Search of Cross-rotation peaks with subtracted amplitudes ($ F_o - F_c $)	58
3.3.3	Electron density map from MR phases	58
3.4	NCS operators	59
3.5	Discussion	60

4 Refinement and structural analysis of WCTI

4.1	Introduction	61
4.2	Crystallographic refinement and model building	66
4.3	Results	68
4.3.1	Quality of electron density	68
4.3.2	Quality of the final model	69
4.3.3	The overall structure	70
4.3.4	Comparison of four independent molecules in the asymmetric unit	71
4.3.5	Hydrogen bonding	71
4.3.6	Crystal packing	72
4.4	Structural comparison with other members of STI-Kunitz family	73
4.4.1	Overall comparison	73
4.4.2	Reactive site loop	73
4.5	Comparisons with structurally homologous families other than STI-Kunitz	74
4.6	Discussion	75

5 Modeling of the recognition site of WCTI and its cognate proteinases: A docking study

5.1	Introduction	77
5.1.1	Overview of macromolecular docking methods	77
5.1.2	Analysis of the proteinase-inhibitor complexes available in the protein data bank	79
5.1.3	Binding epitopes of β -Trypsin and α -Chymotrypsin	84
5.2	Docking studies of WCTI with its cognate proteinases: β -Trypsin and α -Chymotrypsin	87

5.2.1 Optimization of the crystallographic model of WCTI	87
5.2.2 Validation of the energy minimized model and selection of a chain for docking studies	88
5.2.3 Optimization of initial docked complexes by MULTIDOCK	89
5.3 Results	90
5.3.1 Analysis of the docked complexes, WCTI: β -BPT and WCTI: α -CHYM using protein-protein interaction server	90
5.3.2 Interaction between WCTI and β -trypsin	92
5.3.3 Interaction of WCTI with α -Chymotrypsin	94
5.4 Discussion	95
6 Conclusion	99

Part II

7 X-ray crystal structure of a Oxorhenium(V) cysteine complex

7.1 Introduction	101
7.2 Experimental	105
7.2.1 Collection of the X-ray data	105
7.2.2 Solution of structure	105
7.3 Results and discussion	106

8 Appendix – 1

A1 Molecular dynamics simulation of the reactive site loop of a winged bean trypsin/chymotrypsin inhibitor (WCTI)	109
---	-----

9 References	113
--------------	-----