

Linear and Nonlinear Optical Properties of Metal Nanocluster - Glass Composite



Binita Ghosh

Surface Physics Division,
Saha Institute of Nuclear Physics,
India.

E-mail: binita.ghosh@saha.ac.in

Thesis submitted to the University of Calcutta for the Degree
of Doctoral of Philosophy in Science

Contents

Acknowledgements	v
List of Publications	viii
Conference Proceedings	ix
List of symbols used in this thesis	x
List of abbreviations used in this thesis	xii
Figure Captions	xiv
Preface	xviii

CHAPTER 1

1. Introduction	1
1.1 Nonlinear Optics	5
1.2 Origin of optical nonlinearity	7
1.2.1 Classical anharmonic oscillator description	7
1.2.1a Noncentrosymmetric Media	10
1.2.1b Centrosymmetric Media	11
1.2.2 Quantum mechanical approach to nonlinear susceptibility.....	21
1.3 Nonlinear optical processes	31
1.3.1 Second-order processes	31
1.3.2 Third-order processes	33
1.4 Resonance character of third-order susceptibility	35
1.4.1 Nonresonant optical effects	37
1.4.2 Resonant optical response	38

1.5	Other mechanisms of nonlinearity	39
1.5.1	Electron delocalization	39
1.5.2	Conformational defects	40
1.5.3	Bandgap renormalization	40
1.5.4	Phase-space filling	41
1.5.5	Optical Stark effect	41
1.5.6	Population redistribution	42
1.5.7	Free carrier effects	43
1.5.8	Photorefractive nonlinearity	43
1.5.9	Thermal nonlinearity	44
1.5.10	Orientational nonlinearity	44
1.5.11	Electrostriction	45
1.6	Device requirements and choice of nonlinear optical materials	45

CHAPTER 2

2.	Metal nanocluster glass composite: Novel materials for photonics \Rightarrow A literature overview	53
2.1	Optical properties of metal nanoparticles	58

CHAPTER 3

3.	Ion-Implantation – as a tool for MNCG preparation	66
3.1	Introduction	66
3.2	Sample preparation	70
3.3	Specification of different types of implanter used	74
3.3.1	High current Low energy Danfysic implanter at SINP	74
3.3.2	10 GHz ECR source at NSC	76
3.3.3	1.7 MeV Tandem Accelerator at IGCAR	78

CHAPTER 4

4.	Experimental Techniques	81
4.1	Optical Absorption	82
4.2	Rutherford Backscattering Spectrometry	83
4.2.1	Kinematic factor (K)	83
4.2.2	Scattering cross-section	87
4.2.3	Stopping Cross-section	89
4.2.4	Energy straggling	91
4.2.5	Depth profile by backscattering spectrometry	92
4.2.5.1	Energy loss factor and stopping cross-section factor	95
4.2.5.2	Surface energy and mean energy approximations	96
4.2.5.3	Energy loss ratio method	97
4.2.6	Experimental set-up	99
4.2.6.1	Detection system and allied electronics	102
4.2.7	Experimental examples	105
4.2.7.1	Thickness measurement for thin films	105
4.3	Z-Scan Experiment	106
4.3.1	Principle	109
4.3.2	Theoretical formalism	110
4.3.3	Z-Scan Simulations	118
4.3.4	Experimental setup	120
4.3.5	Advantages and disadvantages of Z-Scan	121
4.3.6	Sources of errors and precautions	122
4.4	Antiresonant Ring Interferometric Nonlinear Spectroscopy	123
4.4.1	Theoretical Formalism	126
4.4.2	ARINS Simulations	131
4.4.3	Experimental setup	132
4.4.4	Advantages and disadvantages of ARINS	135

4.4.5	Sources of errors and precautions	136
4.5	Instrumentation related to the experimental setup	136
4.5.1	Stepper motor driver circuit	136
4.5.2	Operative mode of photodiode and required power supply	139
4.6	Data acquisition system and automation	141

CHAPTER 5

5.	Experimental results & discussions	146
5.1	Ag-implanted fused silica samples: experimental results	147
5.1.1	Optical absorption studies	147
5.1.2	Rutherford Backscattering Spectrometry	150
5.1.3	Z-Scan Study	152
5.1.4	Antiresonant Interferometric Nonlinear Spectroscopic study	162
5.2	Au-implanted fused silica samples: experimental results	166
5.3	Cu-implanted fused silica samples: experimental results	170
5.4	Ni-implanted fused silica samples: experimental results	174
5.5	Discussions	175

CHAPTER 6

6.	Summary and Future scope of works	180
6.1	Summary	180
6.2	Future prospects	182