

# **NMR STUDY IN SOME TERNARY INTERMETALLIC COMPOUNDS**

by  
**Rajib Sarkar**

A THESIS SUBMITTED FOR THE DEGREE OF  
DOCTOR OF PHILOSOPHY(SCIENCE)  
of the  
JADAVPUR UNIVERSITY

by  
**RAJIB SARKAR**  
Saha Institute of Nuclear Physics  
Kolkata -700064  
2008

# Contents

<b>List of Publication</b>	<b>iii</b>
<b>Abstract</b>	<b>v</b>
<b>Acknowledgments</b>	<b>viii</b>
<b>Contents</b>	<b>x</b>
<b>List of Tables</b>	<b>xiv</b>
<b>List of Figures</b>	<b>xv</b>
<b>Preface</b>	<b>xx</b>
<b>1 NMR BASICS</b>	<b>1</b>
1.1 Introduction . . . . .	1
1.2 The Zeeman Interaction . . . . .	1
1.3 Hyperfine Interaction . . . . .	3
1.3.1 Magnetic Interaction . . . . .	3
1.3.1.1 The Fermi contact term . . . . .	4
1.3.1.2 Dipolar contribution . . . . .	5
1.3.1.3 Orbital contribution . . . . .	6
1.3.1.4 Shift of f-electron compound . . . . .	7
1.3.1.5 Contribution to the susceptibility $\chi$ and the Knight Shift ( $K$ ) . . . . .	9
1.3.1.6 Complete Knight shift tensor . . . . .	10
1.3.2 Quadrupolar Interaction . . . . .	11
1.3.2.1 The Nuclear Electric Quadrupole Hamiltonian . . . . .	12
1.3.2.2 Matrix Elements of the Quadrupole Hamiltonian $\mathcal{H}_Q$ . . . . .	14
1.3.2.3 Description of Electric Field Gradients . . . . .	15

1.3.2.4	General expression of the spectral transition considering second order quadrupole interaction in the high field case: . . . . .	16
1.3.3	The Second-Order Nuclear Quadrupole Interaction in solids with Symmetric and Asymmetric Field Gradient: . . . . .	19
1.4	Transferred Hyperfine Effects . . . . .	20
1.5	Nuclear Spin-lattice Relaxation . . . . .	23
1.5.0.1	Magnetic spin-lattice relaxation mechanism: . . . . .	25
1.5.1	Magnetic spin-lattice relaxation rates . . . . .	29
1.5.1.1	Magnetic relaxation for $I = 5/2$ . . . . .	30
1.5.1.2	Magnetic Relaxation for spin $I=1/2$ . . . . .	30
1.5.1.3	Magnetic Relaxation for spin $I=3/2$ . . . . .	31
1.5.1.4	Magnetic Relaxation for spin $I=7/2$ . . . . .	31
<b>2</b>	<b>Rare earth based ternary intermetallic compound</b>	<b>36</b>
2.1	Introduction . . . . .	36
2.2	Preparation method . . . . .	37
2.3	Different rare-earth based ternary intermetallic compound . . . . .	38
2.4	R-Ni-Al system . . . . .	39
<b>3</b>	<b>Theory</b>	<b>47</b>
3.1	Strongly Correlated Electron Systems . . . . .	47
3.1.1	Kondo Effect . . . . .	47
3.1.1.1	Kondo impurities in a metal . . . . .	48
3.1.1.2	Anderson and Kondo model . . . . .	48
3.1.1.3	High Temperature Behaviour . . . . .	49
3.1.1.4	Multiple impurities . . . . .	51
3.1.1.5	Kondo lattice . . . . .	52
3.1.2	RKKY interaction . . . . .	52
3.1.3	Heavy Fermion Systems . . . . .	54
3.2	Crystal Electric Field . . . . .	55
3.2.1	Parameter convention for crystal field . . . . .	56
3.2.2	Stevens operator-equivalent notation . . . . .	59
<b>4</b>	<b>Experimental</b>	<b>65</b>
4.1	Experimental consideration . . . . .	65
4.1.1	Preparation of samples . . . . .	65

4.1.2	XRD studies . . . . .	66
4.1.3	SQUID magnetometer: magnetization measurement . . . . .	66
4.1.4	NMR measurement . . . . .	69
4.1.4.1	NMR spectrometer . . . . .	69
4.1.4.2	NMR experimental technique . . . . .	72
4.2	Alignment of the sample . . . . .	73
4.2.1	Why alignment is necessary? . . . . .	73
4.2.2	Requisites of the alignment . . . . .	75
4.2.3	Two types of alignment method . . . . .	76
4.2.4	Alignment technique with specific system: CeNi <sub>2</sub> Al <sub>5</sub> and CeCoAl <sub>4</sub> . . . . .	76
4.2.4.1	Effect of alignment on the <sup>59</sup> Co NMR spectra . . . . .	77
4.2.4.2	Effect of alignment on the <sup>27</sup> Al NMR spectra . . . . .	80
<b>5</b>	<b>Experimental Investigation of RNi<sub>2</sub>Al<sub>5</sub>(R=La, Ce, Pr)</b>	<b>82</b>
5.1	Introduction . . . . .	82
5.1.1	Crystal structure . . . . .	82
5.1.2	Physical properties of CeNi <sub>2</sub> Al <sub>5</sub> . . . . .	83
5.2	NMR measurement . . . . .	86
5.2.0.1	<sup>27</sup> Al NMR in CeNi <sub>2</sub> Al <sub>5</sub> . . . . .	87
5.2.0.2	<sup>27</sup> Al NMR in LaNi <sub>2</sub> Al <sub>5</sub> . . . . .	91
5.2.0.3	Shift and the Hyperfine field . . . . .	93
5.2.0.4	Nuclear spin-lattice relaxation . . . . .	93
5.2.0.5	Summary . . . . .	101
5.2.1	Physical properties of PrNi <sub>2</sub> Al <sub>5</sub> . . . . .	102
5.2.2	<sup>27</sup> Al NMR in PrNi <sub>2</sub> Al <sub>5</sub> . . . . .	104
5.2.2.1	<sup>27</sup> Al NMR Knight shift in PrNi <sub>2</sub> Al <sub>5</sub> . . . . .	106
5.2.2.2	Magnetic Susceptibility . . . . .	109
5.2.2.3	Crystal Field Analysis . . . . .	110
5.2.2.4	<sup>27</sup> Al spin-lattice relaxation for PrNi <sub>2</sub> Al <sub>5</sub> . . . . .	114
5.2.2.5	Summary . . . . .	116
<b>6</b>	<b>Experimental Investigation of CeCoAl<sub>4</sub></b>	<b>122</b>
6.1	Introduction: . . . . .	122
6.1.1	Crystal structure . . . . .	123
6.1.2	Sample Preparation and Characterization: . . . . .	123
6.2	NMR measurement: . . . . .	125

6.2.1	$^{59}\text{Co}$ NMR in $\text{CeCoAl}_4$	125
6.2.2	$^{27}\text{Al}$ NMR in $\text{CeCoAl}_4$	127
6.2.3	Shift and the Hyperfine field	130
6.2.4	$^{27}\text{Al}$ spin-lattice relaxation for $\text{CeCoAl}_4$	132
6.2.5	Summary	134
<b>7</b>	<b>Conclusion</b>	<b>137</b>
<b>A</b>	<b>Appendices</b>	<b>140</b>
A.0.6	Matrix element of the Quadrupole Hamiltonian	140
A.0.7	First order perturbation calculation	141
A.0.8	Second order perturbation calculation	141
A.0.9	Magnetic Relaxation for spin $I=5/2$	142
A.0.10	Magnetic Relaxation for spin $I=1/2$	148
A.0.11	Magnetic Relaxation for spin $I=3/2$	149
A.0.12	Magnetic Relaxation for spin $I=7/2$	149
<b>B</b>	<b>Appendices</b>	<b>151</b>
B.1	Dipolar shift calculation	151
<b>C</b>	<b>Appendices</b>	<b>155</b>
C.1	Programme for the CEF parameter calculation	155