

Implications Of The Higgs Discovery On Physics Beyond The Standard Model

A thesis submitted
for the degree of Doctor of Philosophy(Science)
in
Physics
by
Dipankar Das

Department of Physics
University of Calcutta

2015

Contents

Abstract	i
Acknowledgements	ii
List of Figures	vi
List of Tables	viii
List of Publications	ix
Abbreviations	x
1 A bottom-up approach to the Standard Electroweak Theory	1
1.1 A quantum mechanical prelude	2
1.1.1 Calculation of differential cross section	3
1.1.2 Method of partial waves	4
1.1.3 Connection with Quantum Field Theory	8
1.2 Fermi Theory	9
1.3 Intermediate Vector Bosons	10
1.3.1 Electrodynamics of the W -bosons	11
1.3.2 Introducing the Z boson	14
1.4 Retrieving vector and axial-vector couplings	18
1.5 Vector boson quartic self couplings	21
1.6 Need for a neutral scalar	23
1.6.1 Trilinear couplings with vector bosons and fermions	24
1.6.2 Quartic couplings with the vector bosons	26
1.6.3 Scalar self couplings	27
1.7 ABJ anomaly and quarks	29
2 Modified Higgs couplings and unitarity violation	32
2.1 Modification of the Higgs couplings	33
2.2 Impact on high energy unitarity	34
2.3 Impact on diphoton signal strength	37
2.4 Correlation between E_{\max} and $\mu_{\gamma\gamma}$	39
2.5 Conclusions	39
3 Post Higgs overview of two Higgs-doublet models	41
3.1 The scalar potential	42

3.1.1	Physical eigenstates	44
3.1.2	The alignment limit	46
3.1.3	Bounded from below constraints	47
3.1.4	Constraints from unitarity	50
3.1.5	Numerical constraints on the scalar masses in the alignment limit	54
3.2	Yukawa part	59
3.2.1	The problem of FCNC	61
3.2.2	Natural flavor conservation (NFC)	61
	Flavor constraints on the NFC variants:	62
3.2.3	An alternative to NFC – BGL models	64
	Constraints from flavor data:	68
	Neutral meson mixing:	69
	$b \rightarrow s\gamma$:	69
	Other constraints:	71
3.3	Decay of the nonstandard Higgs bosons	72
3.4	Loop induced decays of the SM-like Higgs	74
3.5	Conclusions	77
4	Analysis of an extended scalar sector with S_3 symmetry	79
4.1	The scalar potential	80
4.2	Physical eigenstates	82
4.2.1	Case-I ($\lambda_4 = 0$)	82
4.2.2	Case-II ($v_1 = \sqrt{3}v_2$)	85
4.3	Constraints from unitarity	88
4.4	Impact on loop induced Higgs decays	90
4.5	Conclusions	91
5	The Higgs or a Higgs?	93
5.1	Two Higgs-doublet models	95
5.1.1	Underlying dynamics behind decoupling	97
5.2	Three-Higgs-doublet models	98
5.3	Conclusions and outlook	100
6	Summary and conclusions	101
A	Calculation of the WW scattering amplitude	106
A.1	Calculation of the gauge part	107
A.1.1	s -channel photon exchange	107
A.1.2	s -channel Z -boson exchange	108
A.1.3	t -channel photon exchange	109
A.1.4	t -channel Z -boson exchange	110
A.1.5	The quartic gauge vertex	111
A.2	Calculation of the Higgs part	111
A.2.1	s -channel Higgs exchange	111
A.2.2	t -channel Higgs exchange	112
A.3	Total amplitude and Lee-Quigg-Thacker limit	113

B Calculation of the $e^-e^+ \rightarrow WW$ scattering amplitude	115
B.1 s -channel photon exchange	116
B.2 s -channel Z exchange	117
B.3 t -channel ν exchange	118
B.4 Amplitude without the Higgs	120
B.5 s -channel Higgs exchange	121
B.6 Explicit evaluation of the energy growths	122
B.6.1 The same helicity case	123
B.6.2 The opposite helicity case	124
C Flavor observables and 2HDM	125
C.1 Neutral meson mixing	125
C.2 Expressions for $b \rightarrow s\gamma$	126
C.3 Leptonic and semileptonic B decays	130
C.4 $B_s \rightarrow \mu^+\mu^-$	132
C.5 Current experimental numbers	134
Bibliography	135