

Exploring Some Models For Particle Dark Matter

**THESIS SUBMITTED FOR THE DEGREE
OF
DOCTOR OF PHILOSOPHY (SCIENCE)
IN
PHYSICS**

BY

ANIRBAN BISWAS

**DEPARTMENT OF PHYSICS
UNIVERSITY OF CALCUTTA
KOLKATA, INDIA**

2015

CONTENTS

List of Figures	xiv
List of Tables	xviii
1 Basics of Dark Matter Physics	1
1.1 Introduction	1
1.2 Evidences of Dark Matter	2
1.3 Types of Dark Matter	4
1.4 Candidates of Dark Matter	6
1.5 Dark Matter Halo Profile	7
1.6 Dark Matter Direct Search Experiments	9
1.7 Possible Indirect signatures of Dark Matter	10
2 A Brief Outline on the Standard Model of Electroweak Interaction	15
2.1 Scalar sector of the electroweak theory	16
2.1.1 Spontaneous symmetry breaking and mass generation	17
2.2 Gauge sector of the electroweak theory	19
2.3 Fermionic sector of the electroweak theory	21
2.3.1 Yukawa interaction and fermion mass generation	24
2.4 Drawbacks of the Standard Model of electroweak interaction	25
3 The Boltzmann Equation	29
3.1 Introduction	29
3.2 Boltzmann equation for thermally generated WIMP	29
3.3 Boltzmann equation for two stable and mutually interacting WIMPs	39
4 Thermal dark matter model	43
4.1 Introduction	43
4.2 Model	44
4.3 Formalism for Calculation of Relic Abundance	44
4.4 Calculational Procedure and Results	47

4.5	Constraining the model parameter δ_2	48
4.6	Formalism for the Calculations of Direct Detection Rates	50
4.7	Direct Detection Rates for Scalar Dark Matter	52
4.8	Indirect Detection of Scalar Dark Matter	54
5	Thermal two component dark matter model-I	59
5.1	Introduction	59
5.2	The Two Component Dark Matter Model	60
5.3	Combined Relic Density Calculation for the two dark matter Candidates ϕ^0 and S	63
5.4	Calculation of Model Parameters	67
5.5	130 GeV γ -ray line from Dark Matter annihilation	74
6	Thermal two component dark matter model-II	81
6.1	Introduction	81
6.2	The Model	82
6.3	Solution of Coupled Boltzmann's Equations of two Dark Matter Components ψ and S	91
6.4	Results	93
6.5	1-3 GeV γ excess from Galactic Centre.	99
7	Nonthermal dark matter model	105
7.1	Introduction	105
7.2	The Model	106
7.3	Relic Density Calculation of Two Component Nonthermal Dark Matter	108
7.4	Domain wall formation from restoration of \mathbb{Z}_2''	114
7.5	Direct detection of the dark matter candidates χ_2 and χ_3	115
7.6	γ -ray excess at 1-3 GeV energies from Galactic Centre.	116
7.7	3.55 keV X-ray line	120
7.8	2-10 GeV γ -excess from Reticulum II Dwarf Galaxy	122
7.9	Appendix	125
7.9.1	Couplings of the physical scalars χ_1 , χ_2 and χ_3	125
7.9.2	Masses of physical scalars χ_1 , χ_2 and χ_3	126
8	Summary and Future Outlook	127