

**INVESTIGATION OF INTERACTION POTENTIAL FOR  
LOOSELY BOUND NUCLEI AT NEAR BARRIER  
ENERGIES**

**THESIS SUBMITTED FOR THE DEGREE OF  
DOCTOR OF PHILOSOPHY (SCIENCE)  
AT  
UNIVERSITY OF CALCUTTA**

**BY  
MILI BISWAS  
DECEMBER 2008**

# Contents

<b>Abstract</b>	i
<b>Acknowledgments</b>	iv
<b>List of Figures</b>	xvi
<b>List of Tables</b>	xxiii
<b>1 Introduction</b>	1
1.1 Threshold anomalies in elastic scattering . . . . .	2
1.2 Threshold Anomaly scenario for loosely bound systems . . . . .	4
1.3 Aim of the work . . . . .	12
<b>2 Systems studied : <math>{}^6\text{Li} + {}^{58,64}\text{Ni}</math></b>	16
2.1 Experimental Details . . . . .	19
2.1.1 Preparation of thin targets for the experiments . . . . .	19
2.1.2 Measurement of target thickness by $\alpha$ -energy loss method . . .	19
2.1.3 Chamber setup, detector arrangements . . . . .	20
2.1.4 Experimental data tables for ${}^6\text{Li} + {}^{64}\text{Ni}$ . . . . .	30

<b>2.2 Analysis . . . . .</b>	<b>36</b>
2.2.1 Phenomenological OM analysis of ${}^6\text{Li} + {}^{64}\text{Ni}$ data . . . . .	36
2.2.2 OM analysis of ${}^6\text{Li} + {}^{64,58}\text{Ni}$ data with folded potential . . . . .	40
2.2.3 Correlation with dispersion relation . . . . .	51
2.2.4 Results and Discussion . . . . .	57
<b>3 Region of sensitivity of the optical model potentials for <math>({}^6\text{Li}, {}^{16}\text{O}) + {}^{58,64}\text{Ni}</math></b>	<b>66</b>
3.1 The radius of sensitivity and its energy dependence . . . . .	67
3.2 The two crossing phenomenon . . . . .	89
3.3 *Acknowledgement . . . . .	94
<b>4 Systems studied : <math>{}^7\text{Li} + {}^{58,64}\text{Ni}</math></b>	<b>97</b>
4.1 Experimental Details . . . . .	99
4.1.1 Chamber setup, detector arrangements . . . . .	99
4.1.2 Experimental data tables for ${}^7\text{Li} + {}^{64}\text{Ni}$ . . . . .	104
4.2 Analysis . . . . .	111
4.2.1 Phenomenological OM analysis of ${}^7\text{Li} + {}^{58,64}\text{Ni}$ data . . . . .	111
4.2.2 OM analysis of ${}^7\text{Li} + {}^{64,58}\text{Ni}$ data with folded potential . . . . .	113
4.3 Results and Discussions . . . . .	124
<b>5 Enhanced <math>\alpha</math>-yield for <math>{}^6\text{Li}</math> and <math>{}^7\text{Li}</math> on Ni-isotopes</b>	<b>132</b>
5.1 Introduction . . . . .	132
5.2 Experimental Details . . . . .	135
5.3 Comparison with statistical model predictions . . . . .	138
5.4 Discussion on observed enhanced yield . . . . .	142

<b>6 Summary and Conclusion</b>	<b>160</b>
6.1 Our motivation . . . . .	160
6.2 Threshold behaviour for ${}^6\text{Li} + {}^{58,64}\text{Ni}$ . . . . .	162
6.3 Threshold behaviour for ${}^7\text{Li} + {}^{58,64}\text{Ni}$ . . . . .	164
6.4 Enhanced $\alpha$ yield for ${}^{6,7}\text{Li} + {}^{58,64}\text{Ni}$ . . . . .	165